CABALLERO

PERIMETRAL

JOVEN PERIMETRO

ACABADOS

1. MADERA OKUME 370+1T SATINADO REF26008
2. ACERO INOX SATINADO ESTANDAR REF2202
3. ILUMINACION LED APOLLO PW 15W 3000ºK



ALZADO



ALZADO IZQUIERDO



ALZADO DERECHO



SECCION EJEMPLO CINTURONES

SECCION EJEMPLO ESTANTES

SECCION EJEMPLO PASHMINAS



SECCIÓN BARRA



SECCIÓN BARRA



PLANTA

DETALLE PINCHO SIMPLE



DETALLE PINCHO GORROS

DETALLE BALDAS



DETALLE BARRA

DETALLE CAJON CINTURONES

DETALLE FRONTALES EXTRAIBLES



DETALLE ESTANTE MADERA

DETALLE BARRA 110

DETALLE BARRA 220

DOTACION

DESCRIPCION	Uds
FRONTAL EXTRAIBLE	8
ESTANTE MADERA	20
BARRA 220	8
BARRA 110	20
CAJON CINTURONES	2
PINCHO SIMPLE	50
PINCHO GORROS	12

E: 1_40

Pag: 1_1

Código: COD
Matrícula: MAT
Versión: VER
Fecha: DAT
Imagen: IMG

8Z80030100

STUDIOZARA



663

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8Z80024600		IRON铁/Stainless不锈钢/防火MDF	MADERA OKUME 370+1T SATINADO REF26008/2202		1950.04



背板木纹方向竖向
层板横向



离地190mm

侧面层板和挂架是活动的
安装位置根据需要摆放



技术要求(Technical Requirements)：
1、供货方要相应配同色的连接件；螺杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子和玻璃尺寸，需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无披锋\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小 A3	UNITS单位 mm	8Z80030100 -总装	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图 JerryLu	SCALE比例 1:50		ORDER NO.订单号 000	
ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	JOVEN PERIMETRO	ZARA	
CLIENT DRAWING图户图 Proy V.0	VERSION版本 V.0		CAAMAÑOASIA公司	
ASSEMBLED IN:组装场所 INTERIOR	DRAWING TYPE图纸类型 MANUFACTURING			

Path存储路径:*E:\陆晨杰\ZARA\ZARA 17170 Korea Seoul Kangnam\8Z80024600 一圈屏风\8Z80030100*

创建日期(Created Date)
2026年5月21日 18:19:12

上次保存的日期(Last Saved Date)
2026年6月17日 14:31:23

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8Z80024600		IRON铁/Stainless不锈钢/防火MDF	MADERA OKUME 370+1T SATINADO REF26008/2202		1950.04



油漆面积Paint Area: 76.72㎡
油漆颜色Paint Color:MADERA OKUME 370+1T SATINADO REF26008

配件数量按BOM做

No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish 颜色
1	5Z82024601	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
2	5Z82024602	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
3	5Z82024603	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
4	5Z82024604	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
5	5Z82024605	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
6	5Z82024606	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
7	5Z82024607	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
8	5Z82024608	14	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
9	5Z82024609	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
10	5Z82024610	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
11	5Z82024611	5	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
12	5Z82024612	4	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
13	5Z81024614	2	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR REF2202
14	5Z81024613	3	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR REF2202
15	5Z81024615	20	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR REF2202
16	5Z81024616	8	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR REF2202
17	5Z81024617	20	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR REF2202
18	5Z81024618	8	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR REF2202
19	5Z82024619	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
20	5Z81024620	8	不锈钢Stainless	MADERA OKUME 370+1T SATINADO REF26008同色
21	5Z82024621	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
22	5Z82024623	20	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
23	5Z82024622	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
24	5Z82024625	1	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
25	5Z81024626	4	IRON铁	防锈底漆
26	5Z81024627	2	IRON铁	防锈底漆
27	5Z81024628	3	IRON铁	防锈底漆
28	5Z81024629	2	IRON铁	防锈底漆
29	5Z71386204	8	Stainless不锈钢	ACERO INOX SATINADO ESTANDAR. REF 2202
30	5Z82024624	2	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
31	5Z81024630	8	铁IRON	MADERA OKUME 370+1T SATINADO REF26008同色
32	5Z82024631	10	防火MDF	MADERA OKUME 370+1T SATINADO REF26008
33	5Z81024632	9	IRON铁	防锈底漆
34	5Z81024633	4	IRON铁	防锈底漆
35	5Z82024635	4	防火MDF	MADERA OKUME 370+1T SATINADO REF26008

技术要求(Technical Requirements)：
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子和玻璃尺寸，需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无坡锋\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,避过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小 A3	UNITS单位 mm	8Z80030100 -BOM	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图 JerryLu	SCALE比例 1:40		ORDER NO.订单号 000	
ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	JOVEN PERIMETRO	ZARA	
CLIENT DRAWING图户图 Proy V.0	VERSION版本 V.0		CAAMAÑOASIA公司	
ASSEMBLED IN:组装场所 INTERIOR	DRAWING TYPE图纸类型 MANUFACTURING			

Path存储路径:E:\陆晨杰\ZARA\ZARA 17170 Korea Seoul Kangnam\8Z80024600 一圈屏风\8Z80030100

创建日期(Created Date) 2026年5月21日 18:19:12

上次保存的日期(Last Saved Date) 2026年6月17日 14:31:23

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8Z80024600		IRON铁/Stainless不锈钢/防火MDF	MADERA OKUME 370+1T SATINADO REF26008/2202		1950.04



剖面 AN-AN

技术要求(Technical Requirements)：
1、供货方要相应配同色的连接件；螺杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子和玻璃尺寸，需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无披锋\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小 A3	UNITS单位 mm	8Z80030100 -预埋件	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图 JerryLu	SCALE比例 1:30		ORDER NO.订单号 000	
ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	JOVEN PERIMETRO	ZARA	
CLIENT DRAWING图户图 Proy V.0	VERSION版本 V.0		CAAMAÑOASIA公司	
ASSEMBLED IN:组装场所 INTERIOR	DRAWING TYPE图纸类型 MANUFACTURING			

Path存储路径:*E:\陆晨杰\ZARA\ZARA 17170 Korea Seoul Kangnam\8Z80024600 一圈屏风\8Z80030100*

创建日期(Created Date)
2026年5月21日 18:19:12

上次保存的日期(Last Saved Date)
2026年6月17日 14:31:23

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8Z80024600		IRON铁/Stainless不锈钢/防火MDF	MADERA OKUME 370+1T SATINADO REF26008/2202		1950.04



局部视图 AP
比例 1 : 10



剖面 AO-AO

技术要求(Technical Requirements)：
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子和玻璃尺寸，需与挂臂配合的挂构内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to
assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无坡锋\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture
need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小 A3	UNITS单位 mm	8Z80030100 -1	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图 JerryLu	SCALE比例 1:30		ORDER NO.订单号 000	
ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	JOVEN PERIMETRO	ZARA	
CLIENT DRAWING图户图 Proy V.0	VERSION版本 V.0		CAAMAÑOASIA公司	
ASSEMBLED IN:组装场所 INTERIOR	DRAWING TYPE图纸类型 MANUFACTURING			

Path存储路径:*E:\陆晨杰\ZARA\ZARA 17170 Korea Seoul Kangnam\8Z80024600 一圈屏风\8Z80030100*

创建日期(Created Date)
2026年5月21日 18:19:12

上次保存的日期(Last Saved Date)
2026年6月17日 14:31:23