

TWO LEAVES WOODEN PIVOT DOOR OPENING FROM FITTING ROOM

P3

Technical drawing of a door assembly showing dimensions and materials. The drawing includes the following labels and dimensions:

- Uñero con acabado en madera de roble marrón claro** (Handle with Light Brown oak wood finish)
- 30** (Dimension for the handle)
- Ancho de paso entre barras: 1039** (Clearance between bars)
- Hueco pedruzco: 1050** (Small hole)
- Ancho de marco: 1012** (Frame width)
- Ancho de paso: 1164** (Clearance)
- Hoja de puerta: 687** (Door leaf)
- Acabado roble marrón claro** (Light Brown oak finish)
- 553** (Dimension for the door leaf)

DESCRIBE描述	MD CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8M90058800		防火MDF/IRON铁	DM rechapado en "roble teñido marrón"	cut/weld/drill/polish/paint	194.76

The technical drawing includes several views:

- Front Elevation:** Shows two doors labeled "左门" (Left Door) and "右门" (Right Door). Dimensions include overall width X-3, opening width X-41, height H-3, and hinge offset AH.
- Side View:** Shows the profile of the door with dimensions W-77, W, L1, L2, and total length L1+L2=X-51.
- Top Section:** Shows the top part of the door with dimensions AG, 19, 10, 959, and 200.
- Bottom Section:** Shows the bottom part of the door with dimensions AG-AH, 10, 1050, 952, and 200.
- Detailed Assembly Views:** Show close-ups of the hinges and locking mechanism with dimensions like 53, 22, 11, 30, 10, 8, 16, 16, 553, 200, 100, 100, and 952.

“X”为门洞宽
 “H”为门洞高
 “W”为门洞宽
 “L1”左门宽
 “L2”右门宽
 “L1+L2=X-51”
 是否需要“PUSH”标识根据实际情况决定
 顶底安装地弹簧套装，墙体加固配合开孔


SHEET FORMAT图纸大小	A3	UNITS单位mm	8M90058800	-总装	PROJECT NO.内部单号0000/00	STORE CODE店铺号0000
DRAWN BY制图	QiuyueWang	SCALE比例1:20	ORDER DATE下单日期00/00/00	DELIVERY DATE入库日期00/00/00	CLIENT DRAWING客户图Proy V.0	VERSION版本V.0
ASSEMBLED IN:组装场所INTERIOR	DRAWING TYPE图纸类型MANUFACTURING	WOODEN PIVOT DOUBLE DOOR WITH TOP PART				

技术要求(Technical Requirements):


- 供货方要相应配同色的连接件;螺柱类连接件要装在相应位置,以防止孔位偏差;
(The supplier needs to provide the connectorand match the color.
The threaded rod must be pre-install into the correct location to avoid the deviation.)
- 金属件要求无坡棱,焊接牢固,无虚焊,承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
- 金属件所有见光部位不允许有影响外观效果的焊缝;
(Forbid the welding mark on the appearance surface of metal parts)
- 注意公差配合:镜子和玻璃尺寸,需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工。
(Take note the tolerance for mirror,glass,the hook which needs to assembled with bar and so on,the unspecified tolerance is -0.5mm.)
- 所有可见螺丝均为内六角螺丝。
(All the appearance screws must be allen screws)
- 所有镜子、玻璃、大理石4边和4角都要磨边,金属件所有边角无坡棱\无毛刺,防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
- 凡是涉及到走线的产品,供货方必须穿好电线。
(The supplier must wear all wire.)
- 供货方必须装配好由供货方生产的配套产品,例如层板托、连接器。
(the supplier must Pre assembled accessory,such as lamination,connector.)
- 所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

DESCRIBE描述	MD CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单位重量(Kg)
8M90058800		防火MDF/IRON铁	DM rechapado en "roble teñido marrón"	cut/weld/drill/polish/paint	194.70

油漆面积Paint Area: 14.5m²
油漆颜色Paint Color: Roble Marron



No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish 颜色
1	5M92058801-门套	1	防火MDF	DM rechapado en "roble teñido marrón"
2	5M92058801-门扇	1	防火MDF	DM rechapado en "roble teñido marrón"
3	5M91058802	1	IRON铁	镀锌方管
4	5M91043803	2	IRON铁	negro latonado
5	5M92058805-门扇	1	防火MDF	DM rechapado en "roble teñido marrón"
6	5M91058806	1	IRON铁	镀锌方管
7	5M91058807	1	IRON铁	镀锌管
8	5M97058808	2	把手	把手



- 技术要求(Technical Requirements):
- 供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
 - 金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
 - 金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
 - 注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
 - 所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
 - 所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
 - 凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
 - 供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
 - 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小		UNITS单位		8M90058800	-BOM	PROJECT NO.内部单号		STORE CODE/店铺号	
A3		mm				0000/00		0000	
DRAWN BY制图		SCALE比例		ORDER NO.订单号					
QiuyueWang		1:20		000					
ORDER DATE下单日期		DELIVERY DATE入库日期		WOODEN PIVOT DOUBLE DOOR WITH TOP PART					
00/00/00		00/00/00							
CLIENT DRAWING图户图		VERSION版本		Massimo Dutti					
Proy V.0		V.0		 CAAMAÑOASIA 公司					
ASSEMBLED IN:组装场所		DRAWING TYPE图纸类型							
INTERIOR		MANUFACTURING							