



ACABADOS


- ① ACERO INOX SATINADO ESTANDAR REF. 2202
- ② ESTANTE PLEGABLE 79G LINO ESTEIRO + 3 IMANES
- ③ RUEDA TRANSPARENTE
- ④ PANEL CHAPA DE HIERRO + 79G LINO ESTEIRO
- ⑤ ESTRUCTURA PLEGABLE ESTANTE ACABADO ACERO INOX SATINADO ESTANDAR REF. 2202



ALZADO FRONTAL



ALZADO LATERAL




VISTA ISOMÉTRICA

ESTANTERIA ESTANTES EXTENDIDOS



ESTANTERIA ESTANTES PLEGADOS



PLANTA

ESTANTE PLEGADO. 3 IMANES



ESTANTE CIERRE INFERIOR. CERRADO



ESTANTE CIERRE INFERIOR. ABIERTO






PERFIL ESTANTE





PERFIL ESTANTE + ESTRUCTURA




ACABADOS	
①	ACERO INOX SATINADO ESTANDAR REF. 2202
②	79G LINO ESTEIRO




SECCIÓN A-A




ACABADOS	
①	ACERO INOX SATINADO ESTANDAR REF. 2202
②	79G LINO ESTEIRO




ALZADO FRONTAL



ALZADO LATERAL






VISTA ISOMÉTRICA




PLANTA


DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8Z80118400	SPC_SHELF_22	IRON铁/Stainless不锈钢/三聚氰胺	镀锌板/不锈钢2202号细拉丝/ESTANTE PLEGABLE 79G LINO ESTEIRO + 3 IMANES	cut/weld/drill/polish/paint	108.22



双面亚麻纹三聚氰胺贴面
76g 镀锌钢板



保证层板向上折叠收起时
内部磁铁不排斥




局部视图 B
比例 1 : 1

防止层板意外
弹开的保险卡扣

- 技术要求(Technical Requirements):
- 供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
 - 金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
 - 金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
 - 注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
 - 所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
 - 所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
 - 凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
 - 供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
 - 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z80118400	-打开状态	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	FrazerZhu	SCALE比例	1:15			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0				
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING				
				MUEBLE ESPECIAL PLEGABLE SALDO 120X75XH180 MADERA			


DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)
8Z80118400	SPC_SHELF_22	IRON铁/Stainless不锈钢/三聚氰胺	镀锌板/不锈钢2202号细拉丝/ESTANTE PLEGABLE 79G LINO ESTEIRO + 3 IMANES	cut/weld/drill/polish/paint	108.22




技术要求(Technical Requirements):
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-installed into the correct location to avoid the deviation)
2、金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to be assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人.
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线.
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件.
(the supplier must Pre assembled accessory, such as lamination, connector.)
9 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z80118400	-收起状态	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	FrazerZhu	SCALE比例	1:15			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING客户图	Proy V.0	VERSION版本	V.0			ZARA	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING	MUEBLE ESPECIAL PLEGABLE SALDO 120X75XH180 MADERA		CAAMAÑOASIA®	

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺				UNIT WEIGHT单件重量 (Kg)
8Z80118400	SPC_SHELF_22	IRON铁/Stainless不锈钢/三聚氰胺	镀锌板/不锈钢2202号细拉丝/ESTANTE PLEGABLE 79G LINO ESTEIRO + 3 IMANES	cut/weld/drill/polish/paint				108.22



No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish 颜色
1	5Z81118401	1	Stainless不锈钢	2202号细拉丝
2	5Z81118402	8	Stainless不锈钢	不锈钢2202号细拉丝
3	5Z81118403	8	Stainless不锈钢	不锈钢2202号细拉丝
4	5Z82118404	8	三聚氰胺	ESTANTE PLEGABLE 79G LINO ESTEIRO + 3 IMANES
5	5Z81118405	8	Stainless不锈钢	不锈钢2202号细拉丝
6	5Z82118406	2	Aplacar melamina 76G Lino Esteiro	Aplacar melamina 76G Lino Esteiro
7	5Z81118407	8	Stainless不锈钢	Stainless steel
8	M4×10预埋螺母	8	IRON铁	镀彩锌
9	丝杆万向轮_无刹	2	外购件	透明脚轮
10	丝杆万向轮_带刹	2	外购件	透明脚轮



技术要求(Technical Requirements):

1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)

2、金属件要求无拔锋, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)

3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)

4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)

5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)

6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)

7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)

8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)

9 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z80118400	-BOM	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图	FrazerZhu	SCALE比例	1:25			ORDER NO.订单号	000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ZARA	
CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0			CAAMAÑOASIA 公司	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING	MUEBLE ESPECIAL PLEGABLE SALDO 120X75XH180 MADERA			