






QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z40073500	SUPPLIER	REFERENCE			cut/weld/drill/polish/paint	66	



铜磁碰位置根据实际情况调节
后面垫板用螺丝固定



- 技术要求(Technical Requirements):
- 1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
 - 2、金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
 - 3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
 - 4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
 - 5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
 - 6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人.
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
 - 7、凡是涉及到走线的产品, 供货方必须穿好电线.
(The supplier must wear all wire.)
 - 8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件.
(the supplier must Pre assembled accessory, such as lamination, connector.)
 - 9 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

局部视图 AN
比例 1:5

局部视图 AJ
比例 1:5

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z40073500	-总装	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	NikoXu	SCALE比例	1:20			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0			ZARA	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA 公司	

QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)	
1363100018	胶套(管套)_40x20x见光高度3mm_黑色	配件 Accessories	48	8	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1363100018	通用
1363100019	胶套(管套)_40x40x见光高度3mm_黑色	配件 Accessories	12	2	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1363100019	通用
1363100021	胶套(管套)_100x40x见光高度3mm_黑色	配件 Accessories	12	2	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1363100021	通用
3000001952	1238356_LED DIVA3 15W 24V 1123MM 3000K C90_灯管1123mm	灯lamp	12	2	与主产品包在一起(Accessories tied to the main product)		6	3000001952	通用
3000001953	LED变压器(DIVA2,DIVA3通用)-SMP5 24V 75W with 6-way distributor & power plug for DC FLX collection-1238384	灯lamp	6	1	与主产品包在一起(Accessories tied to the main product)		6	3000001953	通用
5Z38164011	DIVA3连接线-Power cable 4000mm-2238383	灯lamp	12	2	与主产品包在一起(Accessories tied to the main product)		6	5Z38164011	通用
1611108314	FNH LED灯固定件和配套螺丝	灯lamp	24	4	与主产品包在一起(Accessories tied to the main product)		6	1611108314	通用
1000001795	黄铜磁碰-60X11.5MM	配件 Accessories	18	3	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1000001795	通用
1611106916	1611-M4mm×6mm FNH 黑色铁质沉头内六角平杯螺丝>_暖灰色	金属metal	120	20	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611106916	通用
1611403871	1611-M4mm×16mm FNH 304不锈钢平头十字自攻螺丝>_暖灰色	金属metal	96	16	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611403871	通用
1611103628	M8mm×35mm FNH 铁黑平头内六角平杯>	配件 Accessories	120	20	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611103628	通用
1611106970	M3mm×10mm FNH 304不锈钢平头内六角平杯>	配件 Accessories	156	26	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611106970	通用
1611405029	1611-M3.5mm×12mm FNH 不锈钢自攻螺丝>_暖灰色	金属metal	420	70	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611405029	通用
1611105637	1611-M4mm×10mm FNH 304不锈钢沉头内六角平杯螺丝>_暖灰色	金属metal	96	16	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611105637	通用
1611401122	1611-M4mm×35mm FNH 304不锈钢沉头内六角自攻螺丝>_暖灰色	金属metal	36	6	厂内预组装/与整个主产品整装出货(Pre assembly in factory/the		6	1611401122	通用
5Z47032134	布帘_2200x2310mm_参样品CORTINA BRUCE 113 DOBLE ANCHO	布料fabric	6	1	单件包装(Single packing)		6	5Z47032134	通用

技术要求(Technical Requirements):
1、供货方要相应同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无接棒, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无接棒\无毛刺, 防止伤人.
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线.
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件.
(the supplier must Pre assembled accessory, such as lamination, connector.)
9. 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平.


SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z40073500	-BOM	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	NikoXu	SCALE比例	1:20			ORDER NO.订单号	
ORDER DATE下单日期		DELIVERY DATE入库日期				ZARA CAAMAÑOASIA 公司	
CLIENT DRAWING图户图		VERSION版本					
ASSEMBLED IN:组装场所		DRAWING TYPE图纸类型					

创建日期(Created Date)
2018年6月7日 14:28:32

上次保存的日期(Last Saved Date)
2020年12月29日 9:18:06

共 3 张 第 2 张

QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z40073500	SUPPLIER	REFERENCE			cut/weld/drill/polish/paint	140244.66	



技术要求(Technical Requirements):
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z40073500	-部件图	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	NikoXu	SCALE比例	1:20			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING客户图	Proy V.0	VERSION版本	V.0			ZARA	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA 公司	