



- ACABADOS
- ① METAL ACABADO NEGRO ADAPTA RW-9807. REF 2206
 - ② ACERO INOX SATINADO ESTANDAR. REF 2202
 - ③ DM ACABADO 1810 MICROCEMENTO GRIS CLARO NARÓN
 - ④ DM ACABADO LACADO GRIS MEDIO MOTEADO PLUS REF.2213
 - ⑤ ILUMINACION LED OPALUX 3100°K






Sp-Barra Recta 90+90xH182 + Biombo 280x16xH205
ESP (VER HOJA DE CATALOGO)

507

BLOQUE



QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z70101600	SUPPLIER	REFERENCE			cut/weld/drill/polish/paint	179.43	



技术要求(Technical Requirements):
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人.
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线.
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件.
(the supplier must Pre assembled accessory, such as lamination, connector.)
9 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z70101600	-总装	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	HaifengTong	SCALE比例	1:20			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING客户图	Proy V.0	VERSION版本	V.0	BARRA RECTA 90+90xH182 + BIOMBO 280x16xH205		ZARA	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA®	


QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z70101600	SUPPLIER	REFERENCE			cut/weld/drill/polish/paint	179.43	



技术要求(Technical Requirements):
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9 所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z70101600	-图纸1	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	HaifengTong	SCALE比例	1:20			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING客户图	Proy V.0	VERSION版本	V.0			ZARA	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA®	

QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z70101600	SUPPLIER	REFERENCE			cut/weld/drill/polish/paint	179.43	



油漆面积 (Painted area): 15m²+1.5m²

油漆颜色 (Paint color):

DM ACABADO 1810 MICROCEMENTO GRIS CLARO NARÓN

2213号白底灰点仿人造石漆

No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish表面
1	5Z72101601	1	防火MDF	DM ACABADO 1810 MICROCEMENTO GRIS CLARO NARÓN
2	5Z71098002	1	IRON铁	防锈漆
3	5Z71059703	5	IRON铁	自喷漆
4	5Z41197703	2	IRON铁	防锈底漆
5	5Z41237705	2	IRON铁	2206号黑色
6	5Z71098004	1	IRON铁/Stainless不锈钢	2206号黑色/2202号细拉丝
7	5Z71098005	1	IRON铁	套管2206号黑色/其余防锈底漆即可
8	5Z72098006	1	防火MDF	2213号白底灰点仿人造石漆
9	1617102278	1	塑料	黑色
10	8Z70098200	1	Krion 人造石/IRON铁/不锈钢	9101/防锈漆/2206号黑色/2202号细拉丝

SHEET FORMAT 图纸大小A3

DRAWN BY 制图HaifengTong

ORDER DATE 下单日期00/00/00

CLIENT DRAWING 客户图Proy V.0

ASSEMBLED IN 组装场所INTERIOR

UNITS 单位mm

SCALE 比例1:20

DELIVERY DATE 入库日期00/00/00

VERSION 版本V.0

DRAWING TYPE 图纸类型MANUFACTURING

8Z70101600

-图纸2

BARRA RECTA 90+90xH182 + BIOMBO 280x16xH205

PROJECT NO. 内部单号0000/00

STORE CODE 店铺号0000

ORDER NO. 订单号000

ZARA

CAAMAÑOASIA®

技术要求(Technical Requirements):

1、供货方要相应配同色的连接件; 螺栓类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)

2、金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)

3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)

4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)

5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)

6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)

7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)

8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)

9 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

Path存储路径:E:\全海峰\ZARA\3271\8Z70101600--507屏风背后有层板\8Z70101600

创建日期(Created Date)
2025年2月14日 11:10:21

上次保存的日期(Last Saved Date)
2026年2月4日 8:46:59

共 3 张 第 3 张