




ACABADOS

① ACABADO PARED




ALZADO FRONTAL/LATERAL

DETALLE ENCuentro SUELO



PLANTA



QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)	TOTAL WEIGHT总重量(Kg)
	8Z70406000	SUPPLIER	REFERENCE	防火MDF	ACABADO PARED	cut/weld/drill/polish/paint	1811.15	

The technical drawing consists of two main parts: a side elevation on the left and a front elevation on the right.

Side Elevation Dimensions:

- Total width at top: 1428.8 mm
- Top section width: 1531.5 mm
- Main body height: 740 mm
- Bottom step height: 250 mm
- Rear wall height: 490 mm
- Base thickness: 10 mm
- Diagonal dimension from bottom-left corner: 786 mm

Front Elevation Dimensions:

- Overall depth: 990 mm
- Top platform widths: 349.9 mm, 400 mm, 714.4 mm
- Platform heights: 250 mm, 500 mm

Perspective View Dimensions:

- Horizontal distance between vertical supports: 2872 mm
- Inclined surface lengths: 895 mm, 1000.1 mm, 1390 mm, 1576 mm, 1254.8 mm
- Vertical support base width: 350 mm

技术要求(Technical Requirements) :

- 供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置 ,以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
- The threaded rod must be pre-install into the correct location to avoid the deviation)
- 金属件要求无披锋 ,焊接牢固 ;无虚焊 . 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
- 金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
- 注意公差配合:镜子和玻璃尺寸,需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
- 所有可见螺丝均为内六角螺丝.
(All the appearence screws must be allen screws)
- 所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无坡峰\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
- 凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
- 供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
- 所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm
DRAWN BY制图	HaoZhang	SCALE比例	1:20
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00
CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0
ASSEMBLED IN-组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING

-总装

TEMPE GRADA MODULO ESQUINA CENTRAL

PROJECT NO.内部单号	STORE CODE店铺号
0000/00	0000
ORDER NO.订单号	
000	
ZARA	
CAAMAÑOASIA®	

Path存儲路徑:C:\Users\HaoZhang\Desktop\ZARA\3272\8Z70406000\8Z70406000

创建日期(Created Date)
2025年8月28日 9:03:22

上次保存的日期(Last Saved Date)
2025年11月14日 13:38:31

