






ACABADOS

- ① UNDORA TRAVERTINO NEGRO RAL 9011 EXTRA MATE. REF:2512
- ② METAL NEGRO RAL 9011 MATE. REF:2513
- ③ ESPEJO PLATA
- ④ CORTINA CALE 25C GRIS (MUESTRA APROBADA B) FRUNCE 100% LONGITUD BARRA
- ⑤ TILDA FAGERHULT 5W ACABADO ALUMINIO NATURAL
- ⑥ SENSOR DE PRESENCIA
- ⑦ SENSOR PARA CONTROL DE ILUMINACION (LIGHT CONTROLER)
- ⑧ KRION 8905 BLACKNESS LISO MATE (LIJA GRANO 1000)


DETALLE BARRA




DETALLE COLGADOR




DETALLE CERRADURA ESPEJO/PANEL REGISTRABLE




DETALLE A




DET. OLLAOS CORTINA



SENSOR DE PRESENCIA






DETALLE NUMERO PROBADORES



NOTA: El sensor de presencia se conectará con el número de la cabina hacia la que emite la onda
En caso de que el probador tenga mas de 3.00mts de longitud en alguno de sus lados
se necesitara instalar 2 sensores de presencia

QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z70418500	SUPPLIER	REFERENCE	B			234.31	



试衣间内空设为：L
高度设为：H

技术要求(Technical Requirements):

- 1、供货方要相应配色的连接件。-铜杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the same color connection parts to match the color;
The threaded rod must be pre-installed into the correct location to avoid the deviation)
- 2、金属件要求无镀锌，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smooth, strong welding, full weld on the loading location)
- 3、金属件所有可见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
- 4、注意公差配合:镜子与玻璃尺寸，需与托架配合的挂钩内卡口，如未注明公差按负公差0.5mm加工。
(Take note the tolerance for mirror, glass, the hook which needs to be assembled with bar and so on, the unspecified tolerance is -0.5mm.)
- 5、所有可见螺丝均为内六角螺丝
(All the appearance screws must be allen screws)
- 6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无镀锌/无毛刺，防止伤人。
(The mirror, glass, marble 4 sides, 4 angles need to sanding, all corners of metal furniture need to polish no burr, prevent injuries.)
- 7、凡涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
- 8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
- 9、所有部件焊接后要磨边45°左右的斜边，辅助磨边，超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小		UNITS单位	8Z70418500	-总装	PROJECT NO.内部单号		STORE CODE店铺号	
A3		mm			0000/00		0000	
DRAWN BY制图		SCALE比例			ORDER NO.订单号			
HaifengTong		1:25			000			
ORDER DATE下单日期		DELIVERY DATE入库日期	AMPLIACION PROBADOR DERECHO 110xH230 UNDOTA					
00/00/00		00/00/00						
CLIENT DRAWING图户图		VERSION版本						
Proy V.0		V.0						
ASSEMBLED IN:组装场所		DRAWING TYPE图纸类型						
INTERIOR		MANUFACTURING						

Path存储路径:E:\全海峰\ZARA\14855\男装试衣间\标准试衣间B-8Z70418500\8Z70418500

创建日期(Created Date)
2025年8月23日 17:42:35

上次保存的日期(Last Saved Date)
2025年9月29日 15:30:36

共 2 张 第 1 张

