








SECCIÓN
SECTION




DETALLE
DETAIL




DESCRIBE描述	MD CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单位重量(Kg)
8M90048300		IRON铁/Glass玻璃	Acabado negro latonado/超白钢化3+3夹胶玻璃		208.78



剖面 AH-AH



局部视图 AI
比例 1:2



L: 门洞总长
H: 门洞总高

- 技术要求(Technical Requirements):
- 供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-installed into the correct location to avoid the deviation)
 - 金属件要求无接痕, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
 - 金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
 - 注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to be assembled with bar and so on, the unspecified tolerance is -0.5mm.)
 - 所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
 - 所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人.
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
 - 凡是涉及到走线的产品, 供货方必须穿好电线.
(The supplier must wear all wire.)
 - 供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件.
(the supplier must Pre assembled accessory, such as lamination, connector.)
 - 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8M90048300	-总装	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	FrazerZhu	SCALE比例	1:20			0000/00	0000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00			ORDER NO.订单号	000
CLIENT DRAWING客户图	Proy V.0	VERSION版本	V.0	4 LEAVES SCREEN_TWO FIXED		Massimo Dutti	
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA®	

DESCRIBE描述	MD CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺			UNIT WEIGHT单件重量 (Kg)	
8M90048300		IRON铁/Glass玻璃	Acabado negro latonado/超白钢化3+3夹胶玻璃				208.78	

固定框

门扇

固定框

顶底焊接插销限位

螺丝沉孔面

No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish 颜色
1	5M91048301	1	IRON铁	Acabado negro latonado
2	5M91048302	1	IRON铁	Acabado negro latonado
3	5M91048303	1	IRON铁	Acabado negro latonado
4	5M91048304	1	IRON铁	Acabado negro latonado
5	5M93048305	4	Glass玻璃	超白钢化3+3夹胶玻璃
6	5M93048306	4	Glass玻璃	超白钢化3+3夹胶玻璃
7	5M93048307	2	Glass玻璃	超白钢化3+3夹胶玻璃
8	5M93048308	2	Glass玻璃	超白钢化3+3夹胶玻璃

技术要求(Technical Requirements):

- 供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
- 金属件要求无披锋, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
- 金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
- 注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
- 所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
- 所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无披锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
- 凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
- 供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
- 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	UNITS单位	8M90048300	-BOM	PROJECT NO.内部单号	STORE CODE店铺号
A3	mm			0000/00	0000
DRAWN BY制图	SCALE比例			ORDER NO.订单号	000
FrazerZhu	1:25				
ORDER DATE下单日期	DELIVERY DATE入库日期				
00/00/00	00/00/00				
CLIENT DRAWING图户图	VERSION版本				
Proy V.0	V.0				
ASSEMBLED IN:组装场所	DRAWING TYPE图纸类型				
INTERIOR	MANUFACTURING				

4 LEAVES SCREEN_TWO FIXED

Maximo Dutti

CAAMAÑOASIA®