





ACERO INOX SATINADO ESTÁNDAR REF 2202

INOX STEEL SATIN STANDAR REF 2202

CAMBIO DE ACABADO Y/O
DESPIECE EN SUELO

FLOOR FINISHING AND/OR
PATTERN CHANGES




ACABADO PARED
SEGÚN LEYENDA DE ACABADOS

WALL FINISHING
ACCORDING TO THE FINISHING LEGEND

CALLE DOS TONOS MÁS QUE PARED

GROOVE TWO SHADES DARKER THAN WALL


QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)
	8Z70516700	SUPPLIER	REFERENCE	Stainless不锈钢/防火MDF	2202/白色底漆		71.37	



内衬用螺丝、打胶固定在墙上
顶板一侧推入卡在 内衬上打胶固定



局部视图 AG
比例 1 : 5




L 为长度尺寸
D 为宽度尺寸
H 为高度尺寸
此为标准料号
详细料号8Z70516700-店铺号
长度>3000mm 均分分段


技术要求(Technical Requirements) :
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置 , 以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无拔锋, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9 所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

生产按此列


16722不锈钢门套				HOLE					
序号	L	D	H	L	D	H	备注		
D18	6038	420	2599	6040	420	2600			
加工. ature	SHEET FORMAT 图纸大小	UNITS单位	8Z70516700			-总装		PROJECT NO. 内部单号	STORE CODE店铺号
	A3	mm						0000/00	0000
	DRAWN BY制图	SCALE比例	ORDER NO. 订单号						
	JerryLu	1:35	000						
	ORDER DATE下单日期	DELIVERY DATE入库日期	ZARA						
00/00/00	00/00/00								
CLIENT DRAWING图片图	VERSION版本								
Proy V.0	V.0	CAAMAÑOASIA 公司							
ASSEMBLED IN:组装场所	DRAWING TYPE图纸类型								
INTERIOR	MANUFACTURING								

QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色		PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)					
	8Z70516700	SUPPLIER	REFERENCE	Stainless不锈钢/防火MDF	2202/白色底漆			71.37						
					No. 序号	Part Description零件描述	Quantity数量	Material材质	Finish颜色					
					1	5Z71516701	1	Stainless不锈钢	2202					
					2	5Z72516702	1	防火MDF	底漆					
					3	5Z72516703	2	防火MDF	底漆					
技术要求(Technical Requirements) : 1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差; (The supplier needs to provide the connectorand match the color; The threaded rod must be pre-install into the correct location to avoid the deviation) 2、金属件要求无披锋, 焊接牢固, 无虚焊, 承重部位必须满焊; (The metal parts must be smoothly, strong welding, full weld on the loading location) 3、金属件所有见光部位不允许有影响外观效果的焊疤; (Forbid the welding mark on the appearance surface of metal parts) 4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工. (Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.) 5、所有可见螺丝均为内六角螺丝. (All the appearance screws must be allen screws) 6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。 (All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.) 7、凡是涉及到走线的产品, 供货方必须穿好电线。 (The supplier must wear all wire.) 8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。 (the supplier must Pre assembled accessory, such as lamination, connector.) 9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。					SHEET FORMAT 图纸大小		A3	UNITS单位	mm	8Z70516700	-BOM	PROJECT NO.内部单号	STORE CODE店铺号	
					DRAWN BY制图		JerryLu		SCALE比例		1:25		ORDER NO.订单号	
					ORDER DATE下单日期		00/00/00		DELIVERY DATE入库日期		00/00/00		000	
					CLIENT DRAWING图户图		Proy V.0		VERSION版本		V.0			
					ASSEMBLED IN:组装场所		INTERIOR		DRAWING TYPE图纸类型		MANUFACTURING			
														

QTY数量	DESCRIBE描述	SUPPLIER供应部门	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量 (Kg)	TOTAL WEIGHT总重量 (Kg)



内衬用螺丝和胶固定在墙上



顶板一侧推入卡在內衬上
顶板打胶固定牢固

技术要求(Technical Requirements):
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无拔锋, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9 所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z70516700	-安装示意	PROJECT NO.内部单号	STORE CODE店铺号
DRAWN BY制图	JerryLu	SCALE比例	1:35			ORDER NO.订单号	
ORDER DATE下单日期		DELIVERY DATE入库日期					
CLIENT DRAWING图户图		VERSION版本					
ASSEMBLED IN:组装场所		DRAWING TYPE图纸类型					