





ACABADOS


- ① ACERO INOX SATINADO ESTANDAR. REF 2202
- ② ACABADO PARED




DETALLE TARIMA



DETALLE BARRA





DETALLE FRONTALES EXTRAIBLES (TUBO MACIZO)



DOTACION

DESCRIPCION	Uds
FRONTAL EXTRAIBLE (TUBO MACIZO)	4

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色		PROCESSES工艺		UNIT WEIGHT单位重量(Kg)
8Z70523700	25PTRMP601A	IRON铁/Stainless不锈钢	METAL SMOKED CEPILLADO NEGRO 2411 (SMOKED BRASS)/防锈底漆/压条_不锈钢2202号细拉丝		cut/weld/drill/polish/paint		21.17
			No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish 颜色
			1	5Z71523701	1	Stainless不锈钢	不锈钢2202号细拉丝
			2	5Z71523702	1	IRON铁/Stainless不锈钢	防锈底漆/ACERO INOX SATINADO ESTANDAR. REF 2202
			3	5Z71208201	5	IRON铁	防锈底漆
			4	5Z71439003	4	Stainless不锈钢	2202号不锈钢细拉丝
			技术要求(Technical Requirements): 1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差; (The supplier needs to provide the connectorand match the color; The threaded rod must be pre-install into the correct location to avoid the deviation) 2、金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊; (The metal parts must be smoothly, strong welding, full weld on the loading location) 3、金属件所有见光部位不允许有影响外观效果的焊疤; (Forbid the welding mark on the appearance surface of metal parts) 4、注意公差配合:镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工. (Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.) 5、所有可见螺丝均为内六角螺丝. (All the appearance screws must be allen screws) 6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。 (All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.) 7、凡是涉及到走线的产品, 供货方必须穿好电线。 (The supplier must wear all wire.) 8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。 (the supplier must Pre assembled accessory, such as lamination, connector.) 9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。				