






ALZADO POSTERIOR




ALZADO FRONTAL



ALZADO LATERAL



SECCION



PLANTA

- ACABADOS
- ① METACRILATO WH 10 2C 10mm PLEXIGLAS SATINICE
 - ② TABLERO RECHAPADO DE PINO DEL PAIS ACABADO BARNIZADO NATURAL (MUESTRA 31)
 - ③ DRENKY TORNILLOS DE CABEZA PLANA CON HEXAGONO EMPOTRADO



QTY数量	DESCRIBE描述	ZARA CODE	REFERENCE参考信息	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)	TOTAL WEIGHT总重量(Kg)
	8Z70561200		REFERENCE	IRON铁//防火MDF/亚克力	防锈底漆/TABLERO RECHAPADO DE PINO DEL PAIS ACABADO BARNIZADO NATURAL (MUESTRA 31)/METACRILATO WH 10 2C 10mm PLEXIGLAS SATINICE		562.84	

No. 序号	Part Description零件 描述	Quantity 数量	Material材质	Finish颜色
1	5Z74561201	1	亚克力	METACRILATO WH 10 2C 10mm PLEXIGLAS SATINICE
2	5Z72561202	14	松木	TABLERO RECHAPADO DE PINO DEL PAIS ACABADO BARNIZADO NATURAL (MUESTRA 31)
3	5Z72561203	7	松木	TABLERO RECHAPADO DE PINO DEL PAIS ACABADO BARNIZADO NATURAL (MUESTRA 31)
4	5Z71561204	1	IRON铁	防锈底漆
5	5Z71561205	1	IRON铁	防锈底漆
6	5Z71561206	1	IRON铁	防锈底漆
7	5Z71561207	1	IRON铁	防锈底漆
8	5Z71561208	1	IRON铁	防锈底漆
9	5Z71561209	1	IRON铁	防锈底漆
10	5Z71561210	1	IRON铁	防锈底漆
11	5Z74561211	1	亚克力	METACRILATO WH 10 2C 10mm PLEXIGLAS SATINICE
12	商场柱子	1	墙体柱子	墙体柱子

SHEET FORMAT
图纸大小A3

DRAWN BY制图YimingZhu

ORDER DATE下单日期00/00/00

CLIENT DRAWING图户图Proy V.0

ASSEMBLED IN-组装场所INTERIOR

UNITS单位mm

SCALE比例1:45

DELIVERY DATE入库日期00/00/00

VERSION版本V.0

DRAWING TYPE图纸类型MANUFACTURING

8Z70561200-BOM

U-shaped Partition Screen H225

PROJECT NO.内部单号0000/00STORE CODE店铺号0000

ORDER NO.订单号000

ZARACAAMAÑOASIA®

技术要求(Technical Requirements):
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子及玻璃尺寸, 需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工。
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝。
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无披锋\无毛刺, 防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品, 供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接器。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。