CABALLERO

CENTRAL

MUEBLE AUTOPORTANTE CINTURONES H127 MADERA_ACERO BRILLO

ACABADOS

1. ACERO INOX BRILLO REF2546
2. MADERA OKUME 370+1T SATINADO REF26008

*NOTA: TODOS LOS ENCUENTROS SERÁN SOLDADOS



ALZADO



PERFIL SECCIONADO



PLANTA

DETALLE PINCHO CINTURONES



E: 1_10

Pag: 1_1

Código: 26PACAMC0020AA
Matrícula: Cc-Mueble Autoportante Cinturones H127 Madera_Acero Brillo 225AA
Versión: AA
Fecha: 13/01/2026
Imagen: 225

STUDIOZARA

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
5Z71571301		不锈钢/铁+贴木皮	ACERO INOX BRILLO REF2546/底漆+贴MADERA OKUME 370+1T SATINADO REF26008 木皮	cut/weld/drill/polish/paint	57.38



技术要求(Technical Requirements)：
1、供货方要相应配同色的连接件；螺杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子和玻璃尺寸，需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无披锋\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小 A3	UNITS单位 mm	8Z70571300 -总装	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图 EmmaMa	SCALE比例 1:12		ORDER NO.订单号 000	
ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	MDB-4F-08 Accessory rack l300xd345	ZARA	
CLIENT DRAWING图户图 Proy V.0	VERSION版本 V.0		CAAMAÑOASIA公司	
ASSEMBLED IN:组装场所 INTERIOR	DRAWING TYPE图纸类型 MANUFACTURING			

Path存储路径:E:\Emma\ZARA 17170\8Z70571300(26PACAMC0020AA)\8Z70571300

创建日期(Created Date)
星期四, 2022年12月8日 10:41:52

上次保存的日期(Last Saved Date)
星期三, 2026年4月29日 14:12:10

共 2 张 第 1 张

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
5Z71571301		不锈钢/铁+贴木皮	ACERO INOX BRILLO REF2546/底漆+贴MADERA OKUME 370+1T SATINADO REF26008 木皮	cut/weld/drill/polish/paint	57.38



LISTA DE CORTES (POR UNIDAD)

Nº DE ELEMENTO	CANT.	DESCRIPCIÓN	长度	角度1	角度2	材料	FINISH
1	1					AISI304	ACERO INOX BRILLO REF2546
2	1					AISI 304	ACERO INOX BRILLO REF2546
3	4	tubo 25x25x1.50	10	0°	0°	AISI304	ACERO INOX BRILLO REF2546
4	1					铁	底漆
5	1					铁	底漆
6	2					AISI304	ACERO INOX BRILLO REF2546
7	1					AISI304	ACERO INOX BRILLO REF2546
8	2					AISI304	ACERO INOX BRILLO REF2546
9	1					铁	ACERO INOX BRILLO REF2546
10	1					铁	底漆+贴木皮MADERA OKUME 370+1T SATINADO REF26008 ,
11	1					铁	底漆+贴木皮MADERA OKUME 370+1T SATINADO REF26008 ,
12	1					铁	底漆+贴木皮MADERA OKUME 370+1T SATINADO REF26008 ,
13	1					铁	底漆+贴木皮MADERA OKUME 370+1T SATINADO REF26008 ,
14	1					铁	底漆+贴木皮MADERA OKUME 370+1T SATINADO REF26008 ,
15	1					铁	底漆
16	3					AISI304	ACERO INOX BRILLO REF2546
17	2					铁	防锈漆
18	2					铁	防锈漆
19	2					铁	防锈漆
20	2					铁	防锈漆

技术要求(Technical Requirements)：
1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置，以防止孔位偏差;
(The supplier needs to provide the connectorand match the color;
The threaded rod must be pre-install into the correct location to avoid the deviation)
2、金属件要求无披锋，焊接牢固，无虚焊，承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
3、金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
4、注意公差配合:镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecifed tolerance is -0.5mm.)
5、所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
6、所有镜子、玻璃、大理石4边和4角都要磨边，金属件所有边角无坡锋\无毛刺，防止伤人。
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.)
7、凡是涉及到走线的产品，供货方必须穿好电线。
(The supplier must wear all wire.)
8、供货方必须装配好由供货方生产的配套产品，例如层板托、连接件。
(the supplier must Pre assembled accessory, such as lamination, connector.)
9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小 A3	UNITS单位 mm	8Z70571300 -爆炸图	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图 EmmaMa	SCALE比例 1:10		ORDER NO.订单号 000	
ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	MDB-4F-08 Accessory rack l300xd345	ZARA	
CLIENT DRAWING图户图 Proy V.0	VERSION版本 V.0		CAAMAÑOASIA公司	
ASSEMBLED IN:组装场所 INTERIOR	DRAWING TYPE图纸类型 MANUFACTURING			

Path存储路径:E:\Emma\ZARA 17170\8Z70571300(26PACAMC0020AA)\8Z70571300

创建日期(Created Date)
星期四, 2022年12月8日 10:41:52

上次保存的日期(Last Saved Date)
星期三, 2026年4月29日 14:12:10