








ACABADOS	
①	ACERO INOX BRILLO
②	ESPEJO PLATA

- *NOTA:
- EL ESPEJO DEBERÁ IR FIJADO A PARED PARTE SUPERIOR E INFERIOR
 - EL ESPEJO VA REFORZADO CON UN DM PARA DAR RIGIDEZ AL CONJUNTO
 - EL ESPEJO SE INSTALARA CON CABLE DE SEGURIDAD ANCLADO A LA ESTRUCTURA DEL PLADUR

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色	PROCESSES工艺	UNIT WEIGHT单件重量(Kg)
8Z70573000	26PASEPR0009AA	IRON铁/Stainless不锈钢/PVC板/Mirror镜子	防锈底漆/ACERO INOX BRILLO/黑色/银镜_超白	cut/weld/drill/polish/paint	58.20



挂件打螺丝与墙面固定





L: 镜框长度
H: 镜框高度

技术要求(Technical Requirements):

- 供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差;
(The supplier needs to provide the connector and match the color;
The threaded rod must be pre-installed into the correct location to avoid the deviation)
- 金属件要求无接缝, 焊接牢固, 无虚焊, 承重部位必须满焊;
(The metal parts must be smoothly, strong welding, full weld on the loading location)
- 金属件所有见光部位不允许有影响外观效果的焊疤;
(Forbid the welding mark on the appearance surface of metal parts)
- 注意公差配合: 镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口, 如未注明公差按负公差0.5mm加工.
(Take note the tolerance for mirror, glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.)
- 所有可见螺丝均为内六角螺丝.
(All the appearance screws must be allen screws)
- 所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人.
(All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish, no burr, prevent injuries.)
- 凡是涉及到走线的产品, 供货方必须穿好电线.
(The supplier must wear all wire.)
- 供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件.
(the supplier must Pre assembled accessory, such as lamination, connector.)
- 所有部件焊接时要磨45°左右的斜边, 辅助焊接, 超过轮廓线外的焊点要磨平。

SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z70573000	-总装	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000
DRAWN BY制图	QiuyueWang	SCALE比例	1:15			ORDER NO.订单号	000
ORDER DATE下单日期	00/00/00	DELIVERY DATE入库日期	00/00/00				
CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0	ESPEJO MARCO METALICO 150xH250 ACERO			
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING				

DESCRIBE描述	ZARA CODE	MATERIAL材料	FINISH颜色		PROCESSES工艺		UNIT WEIGHT单件重量(Kg)																																		
8Z70573000	26PASEPR0009AA	IRON铁/Stainless不锈钢/PVC板/Mirror镜子	防锈底漆/ACERO INOX BRILLO/黑色/银镜_超白		cut/weld/drill/polish/paint		58.20																																		
					No. 序号	Part Description 零件描述	Quantity 数量	Material 材质	Finish 颜色																																
					1	5Z71573001	1	IRON铁/Stainless不锈钢	防锈底漆/ACERO INOX BRILLO																																
					2	5Z73573003	1	Mirror镜子	ESPEJO PLATA																																
					3	5Z71573004	6	IRON铁	防锈底漆																																
					4	5Z72573002	1	PVC板	黑色																																
																																									
					*NOTA: 1. EL ESPEJO DEBERÁ IR FIJADO A PARED PARTE SUPERIOR E INFERIOR 2. EL ESPEJO VA REFORZADO CON UN DM PARA DAR RIGIDEZ AL CONJUNTO 3. EL ESPEJO SE INSTALARA CON CABLE DE SEGURIDAD ANCLADO A LA EXTRUCTURA DEL PLADUR 备注: 镜子上下两端均需固定在墙体上。 镜子背面加装密度板（DM）加固，以提升整体刚性。 镜子安装时需使用安全钢丝绳，并锚固至石膏板结构内。																																				
					技术要求(Technical Requirements): 1、供货方要相应配同色的连接件; 螺杆类连接件要装在相应位置, 以防止孔位偏差; (The supplier needs to provide the connectorand match the color; The threaded rod must be pre-install into the correct location to avoid the deviation) 2、金属件要求无拔锋, 焊接牢固, 无虚焊, 承重部位必须满焊; (The metal parts must be smoothly, strong welding, full weld on the loading location) 3、金属件所有见光部位不允许有影响外观效果的焊疤; (Forbid the welding mark on the appearance surface of metal parts) 4、注意公差配合:镜子和玻璃尺寸, 需与挂臂配合的挂钩内卡口,如未注明公差按负公差0.5mm加工. (Take note the tolerance for mirror,glass, the hook which needs to assembled with bar and so on, the unspecified tolerance is -0.5mm.) 5、所有可见螺丝均为内六角螺丝. (All the appearance screws must be allen screws) 6、所有镜子、玻璃、大理石4边和4角都要磨边, 金属件所有边角无坡锋\无毛刺, 防止伤人。 (All mirrors, glass, marble 4 sides and 4 angles need to sanding, all corners of metal furniture need to polish,no burr, prevent injuries.) 7、凡是涉及到走线的产品, 供货方必须穿好电线。 (The supplier must wear all wire.) 8、供货方必须装配好由供货方生产的配套产品, 例如层板托、连接件。 (the supplier must Pre assembled accessory, such as lamination, connector.) 9.所有部件焊接时要磨45°左右的斜边,辅助焊接,超过轮廓线外的焊点要磨平。																																				
					<table><tr><td>SHEET FORMAT 图纸大小</td><td>A3</td><td>UNITS单位</td><td>mm</td><td>8Z70573000</td><td>-BOM</td><td>PROJECT NO.内部单号 0000/00</td><td>STORE CODE店铺号 0000</td></tr><tr><td>DRAWN BY制图</td><td>Qiu YueWang</td><td>SCALE比例</td><td>1:20</td><td>ORDER DATE下单日期 00/00/00</td><td>DELIVERY DATE入库日期 00/00/00</td><td colspan="2">ORDER NO.订单号 000</td></tr><tr><td>CLIENT DRAWING图户图</td><td>Proy V.0</td><td>VERSION版本</td><td>V.0</td><td colspan="2">ESPEJO MARCO METALICO 150xH250 ACERO</td><td colspan="2">ZARA</td></tr><tr><td>ASSEMBLED IN:组装场所</td><td>INTERIOR</td><td>DRAWING TYPE图纸类型</td><td>MANUFACTURING</td><td colspan="2"></td><td colspan="2">CAAMAÑOASIA 公司</td></tr></table>					SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z70573000	-BOM	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000	DRAWN BY制图	Qiu YueWang	SCALE比例	1:20	ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	ORDER NO.订单号 000		CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0	ESPEJO MARCO METALICO 150xH250 ACERO		ZARA		ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA 公司	
					SHEET FORMAT 图纸大小	A3	UNITS单位	mm	8Z70573000	-BOM	PROJECT NO.内部单号 0000/00	STORE CODE店铺号 0000																													
DRAWN BY制图	Qiu YueWang	SCALE比例	1:20	ORDER DATE下单日期 00/00/00	DELIVERY DATE入库日期 00/00/00	ORDER NO.订单号 000																																			
CLIENT DRAWING图户图	Proy V.0	VERSION版本	V.0	ESPEJO MARCO METALICO 150xH250 ACERO		ZARA																																			
ASSEMBLED IN:组装场所	INTERIOR	DRAWING TYPE图纸类型	MANUFACTURING			CAAMAÑOASIA 公司																																			